

**CW INDUSTRIES**

130 James Way

Southampton, PA 18966

Phone: 215-355-7080 • Fax: 215-355-1088

Email: [info@cwind.com](mailto:info@cwind.com) • Website: <http://www.cwind.com>**4000 Series Maintained Action Miniature Rocker Switches**

CW Maintained Action Miniature Rocker Switches are available in SPST, SPDT, DPST and DPDT and are capable of switching currents normally associated with units much larger in size. Available in ratings of 8, 13 and 16 amps, CW 4000 Series Switches feature self cleaning contacts and are RoHS compliant.

**Panel Opening - 0.508" X 0.756" (12.90mm X 19.20mm).**

**Specify GRS-Series for continuous use temperature rating of +65° C.  
Specify GRSV-Series for continuous use temperature rating of +105° C.**

Results 1 - 99 of 99

<a href="#">Item #</a>	<a href="#">Circuitry</a>	<a href="#">Switch Function</a>	<a href="#">Electrical Ratings</a>	<a href="#">Actuator Color</a>	<a href="#">Actuator Legend</a>	<a href="#">Housing Color</a>
<a href="#">GRS-4011-0000</a>	SPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4011-0001</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4011-0002</a>	SPST	ON-OFF	10 (4) 250~μ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0005</a>	SPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	White	None	White
<a href="#">GRS-4011-0007</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Red	None	Black
<a href="#">GRS-4011-0008</a>	SPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4011-0011</a>	SPST	ON-OFF	10 (4) 250~μ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	Black
<a href="#">GRS-4011-0015</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC	Black	I/O - Vertical	Black

			8 A @ 125 VAC			
<a href="#">GRS-4011-0016</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0019</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	I/O - Vertical	White
<a href="#">GRS-4011-0021</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4011-0024</a>	SPST	ON-OFF	10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0028</a>	SPST	ON-OFF	10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	White
<a href="#">GRS-4011-0031</a>	SPST	ON-OFF	10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	White
<a href="#">GRS-4011-0036</a>	SPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	On/Off - Vertical	Black
<a href="#">GRS-4011-0037</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4011-0040</a>	SPST	ON-OFF	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRS-4011-0041</a>	SPST	ON-OFF	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Black	I/O -Horizontal	Black
<a href="#">GRS-4011-0047</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4011-0049</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0052</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4011-0053</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC	Red	I/O - Vertical	Black

3 A @ 125 V L  
3/4 HP @ 125-250 VAC

<a href="#">GRS-4011-0068</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Horizontal	Black
<a href="#">GRS-4011-0069</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4011-0076</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4011-0077</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	White	None	White
<a href="#">GRS-4011-0078</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0080</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4011-0081</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4011-0089</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	White
<a href="#">GRS-4011-0090</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Bisque	None	Bisque
<a href="#">GRS-4011-0091</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Brown	None	Brown
<a href="#">GRS-4011-0099</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-0104</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	O - Vertical	Black

<a href="#">GRS-4011-0107</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4011-0111</a>	SPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	White Rectangle	Black
<a href="#">GRS-4011-0122</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4011-0131</a>	SPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4011-0138</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black/Red	None	Black
<a href="#">GRS-4011-0139</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black/Red	On/Off - Vertical	Black
<a href="#">GRS-4011-0140</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black/Red	I/O - Vertical	Black
<a href="#">GRS-4011-1600</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4011-1601</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRS-4011-1602</a>	SPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4012-0000</a>	SPDT	ON-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4012-0001</a>	SPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4012-0002</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
			10 A @ 14 V (T)			

<a href="#">GRS-4012-0016</a>	SPDT	ON-ON	16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Yellow	None	Yellow
<a href="#">GRS-4012-0017</a>	SPDT	ON-ON	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	White	None	White
<a href="#">GRS-4012-0019</a>	SPDT	ON-ON	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Brown	None	Brown
<a href="#">GRS-4012-0020</a>	SPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	White	None	White
<a href="#">GRS-4012-0024</a>	SPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4012-0026</a>	SPDT	ON-ON	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRS-4012-0030</a>	SPDT	ON-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	Custom - Vertical	Black
<a href="#">GRS-4012-0032</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	Bump	Black
<a href="#">GRS-4012-0033</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	Bump	White
<a href="#">GRS-4012-0034</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Brown	Bump	Brown
<a href="#">GRS-4012-0047</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4012-0048</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4012-0049</a>	SPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4012-0050</a>	SPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC 1/2 HP @ 125-250 VAC	Red	None	Black

<a href="#">GRS-4012-0051</a>	SPDT	ON-ON	10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4012-0057</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Bisque	Bump	Bisque
<a href="#">GRS-4012-0059</a>	SPDT	ON-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Blue	None	Blue
<a href="#">GRS-4012-0060</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	On/Off - Vertical	Black
<a href="#">GRS-4012-0065</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black/Red	None	Black
<a href="#">GRS-4012-0066</a>	SPDT	ON-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Red	I/O - Horizontal	Black
<a href="#">GRS-4012-1600</a>	SPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4021-0000</a>	DPST	ON-OFF	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4021-0001</a>	DPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4021-0002</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4021-0004</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4021-0011</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	Black
<a href="#">GRS-4021-0013</a>	DPST	ON-OFF	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Black	None	Black

<a href="#">GRS-4021-0021</a>	DPST	ON-OFF	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	I/O - Horizontal	Black
<a href="#">GRS-4021-0022</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4021-0025</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	White	None	Black
<a href="#">GRS-4021-0026</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRS-4021-0027</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4021-0030</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	O - Horizontal	Black
<a href="#">GRS-4021-0032</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Horizontal	Black
<a href="#">GRS-4021-0033</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4021-0035</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black/Red	None	Black
<a href="#">GRS-4022-0000</a>	DPDT	ON-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
<a href="#">GRS-4022-0001</a>	DPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4022-0002</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4022-0003</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC	Black	I/O - Horizontal	Black

			3 A @ 125 V L 3/4 HP @ 125-250 VAC			
<a href="#">GRS-4022-0008</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	Custom	Black
<a href="#">GRS-4022-0010</a>	DPDT	ON-ON	10 A @ 14 V (T) 16 A @ 125-250 VAC 3 A @ 125 V (L) 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRS-4022-0013</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4022-0014</a>	DPDT	ON-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
<a href="#">GRS-4022-0017</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4022-0019</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4022-0021</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black
<a href="#">GRS-4022-1600</a>	DPDT	ON-ON	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRS-4121-0001</a>	DPST	ON-OFF	8(8) 250 ~	Red	N/A	Black
<a href="#">GRSV-4021-0004</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Red	None	Black
<a href="#">GRSV-4021-0005</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	None	Black
<a href="#">GRSV-4021-0006</a>	DPST	ON-OFF	10 (4) 250~ $\mu$ T 85° 10 A @ 14 V T 16 A @ 125-250 VAC 3 A @ 125 V L 3/4 HP @ 125-250 VAC	Black	I/O - Vertical	Black